



2016 NITRO Z21

\$32,950.00

Condition	Pre-Owned
Category	Bass Boats
Location	Tulsa, OK



SPECIFICATIONS

MAKE	NITRO
MODEL	Z21
YEAR	2016
HULL ID	RGR000000016
DRY WEIGHT	2,150 LB
FUEL CAPACITY	55 GALLON

ENGINE

NUMBER OF ENGINES	1
MAKE	MERCURY
MODEL	L OPTIMAX PRO XS
FUEL	UNLEADED
TYPE	OUTBOARD
POWER	250 HORSEPOWER
TOTAL ENGINE POWER	250 HP

DIMENSION

LOA (LENGTH)	21 FT
BEAM (WIDTH)	7.92 FT
DEADRISE	16 °

Nichols Marine Tulsa, OK

6556 E 21st St Tulsa, OK, US 74129

Phone: 918-838-2500

Pre-Owned 2016 Nitro Z21

PRICE REDUCED!!!! 2016 NITRO Z21 SINGLE CONSOLE/ MERCURY 250 PRO XS OPTI MAX/MINNKOTA FORTREX TM/LOWRANCE HDS 9 IN CONSOLE AND BOW/TANDEM AXLE TRAILER WITH BOW STEPS: CONTACT NICHOLS MARINE IN TULSA: 918-838-2500

Additional Details

- Length: 21' 2"
- Bottom width: 74"
- Max. recommended HP: 300 HP
- Package width: 8' 6"
- Fuel capacity: 55 Gallons
- Deadrise: 16 Degrees
- Draft: 16"
- Beam: 95"
- Approx. weight: 2150 Lbs.
- Approx. package weight: 4050 Lbs.
- Max. person capacity: 4 Persons
- Depth inside: 18.5"
- Transom height: 22.5"
- Max. weight capacity: 1800 Lbs.
- Max. person weight: 825 Lbs.
- Storage length: 24' 4"

Standard Features

Comfort, Convenience & Peace of Mind

- NMMA Certified
- Flotation meets or exceeds NMMA & U.S. Coast Guard requirements
- EPA-compliant fuel system
- 5 drink holders
- 4 stainless steel pull-up cleats
- Integrated fold-down stainless steel reboarding ladder
- Non-skid bow mat
- Stainless steel passenger grab handle(s)
- Anti-fatigue, padded comfort bow deck
- Magnetic under-lid lure holder/organizer
- Built-in tournament ruler & holder
- Spare prop holder
- Remote oil fill (OptiMax® motors only)
- Fire extinguisher
- Horn
- Paddle

Console(s)

- Flush-mounted Lowrance® Elite-7 CHIRP Combo fishfinder w/GPS
- Below-console RAM® X-Grip® phone holder & 12V outlet

- LED courtesy light
- Custom-molded modular console w/2-tone paint scheme
- Veethree® multi-function instrumentation w/speedometer/fuel gauge, tachometer/trim gauge, water pressure gauge & oil level indicator
- Digital switch panel w/blue backlight & soft-touch shroud
- Dash light dimmer
- Ready to accept optional removable port console
- Hydraulic steering w/tilt
- Removable molded, tinted windscreen
- Soft-touch waterproof digital switches

Construction & Exterior

- Deck & hull chemically bonded & mechanically fastened w/stainless steel fasteners
- Transverse & longitudinal fiberglass foam-filled stringer system
- Full-width fiberglass-encapsulated composite transom
- 22-oz. (.62 kg) plush, marine-grade cut pile carpet on deck & floor
- Carpet edge trim
- Low-profile gunnels to maximize interior space & fishing decks
- Heavy-duty rub rail

Electrical

- 1,600 GPH (6,056.66 LPH) bilge pump
- Automatic bilge
- Emergency Start System
- Automotive-style labeled fuse panel w/cover
- Bow panel w/trolling motor receptacle, anchor light switch & trim switch w/capability to flush mount 12" (30.5 cm) graph
- Electrical Control Module (ECM)
- Interstate® cranking battery
- 2 heavy-duty Interstate® Series 29 trolling batteries
- 3-bank (30 amps total) onboard battery charger w/exterior receptacle
- Trolling motor power distribution panel w/three 50-amp circuit breakers
- LED console courtesy light
- Integrated bow navigation lights w/stowable stern light
- Automatic LED-lighted bow storage
- Waterproof Deutsch plugin gauge connectors
- Water-resistant connectors on all pumps & navigation lights w/protective abrasion-resistant wrap
- Ventilation fan system in bow storage

Interior

- 3-across seating w/adjustable helm & passenger bucket seats & removable center cushion
- Bike seat w/hydraulic pedestal
- Designated net storage behind seating
- Fold-down fishing seat w/composite frame & hydraulic pedestal
- Footrest w/non-skid mat under console(s)
- Molded utility rigging compartment w/removable storage tray
- Port below-console pull-out storage drawer
- Stainless steel lockable compression latches
- Oversized port & starboard bow rod lockers w/lid assists for rods up to 8' (2.44 m)
- Port & starboard bow rod hold-down straps
- Step to bow deck w/insulated 21.5-gal. (81 L) cooler, removable trash receptacle & snap-in dry item tray
- Oversized lockable center bow storage locker w/Tackle Management System
- Molded-in drainage channels around bow storage compartments
- Partner rod ramp w/rod handle organizer & rod holder strap
- Insulated aluminum lids w/welded corners
- Trolling motor pedal recess for Minn Kota & MotorGuide® trolling motors

- Lift-out, molded aft storage boxes that will accept tackle trays
- Rod organizer in port rod locker

Livewell System(s)

- Two insulated aft 19-gal. (71.92 L) Guardian™ livewells w/digital timers
- Rotomolded Guardian™ w/rounded corners
- Oxygen generator in each livewell
- Pump-out system on both livewells
- Dual remote drain controls

Performance

- Stainless steel propeller
- 16° variable deadrise hull for a smoother, drier ride
- Rapid Planing System™ for quicker holeshots, better handling & a drier ride
- 3" (7.62 cm) adjustable jack plate (Verado® only)
- 12" (30.48 cm) adjustable jack plate (OptiMax® only)
- Rigging tube for organized wiring & abrasion resistance

Trailer

- Custom-fit, factory-matched, tandem-axle NITRO® drive-on trailer w/color-coordinated powder-coat finish & GALVASHIELD® corrosion protection
- Surge disc brakes on 1 axle
- All-welded tubular frame for a unitized structure w/exceptional strength-to-weight ratio
- 14" (35.56 cm) custom aluminum wheels w/radial tires
- No Touch Vortex hub lubrication system for no-maintenance peace of mind w/6-yr. 100,000-mile limited warranty
- Spare tire carrier w/matching spare
- Integrated winch stand step w/safety handle for easier boarding/reboarding at bow while boat is on trailer
- Fiberglass fender design w/integrated back-up lights
- Heavy-duty winch w/nylon strap & bow safety strap
- Outboard motor support to reduce hull & transom stress while towing
- Carpeted bunks & fender boards to protect hull
- Space-saving swing-away tongue to reduce storage length
- Swing-up locking jack w/dual swivel wheels
- Retractable safety cables
- Submersible LED lights

Trolling Motor

- Minn Kota® Maxxum® 24V, 80-lb. thrust, 42" (1.07 m) shaft, foot-control trolling motor

Disclaimer

The Company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents, or his surveyors, to investigate such details as the buyer desires validated. This vessel is offered subject to prior sale, price change, or withdrawal without notice.

Price

\$32,950.00